

Table 16B
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 6/10/2004

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|-------------|-------------------|-------------|---------------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | | | |
| 0 - 11 Months | 52 | * | 52 | * | 52 | * | 0 | * * |
| 12 - 23 Months | 29 | * | 29 | * | 29 | * | 0 | * * |
| 24 - 59 Months | 37 | * | 37 | * | 37 | * | 37 | * * |
| Total | 118 | 3.4 | 118 | 13.6 | 118 | 12.7 | 37 | * * |
| Black, Not Hispanic | | | | | | | | |
| 0 - 11 Months | 16 | * | 16 | * | 16 | * | 0 | * * |
| 12 - 23 Months | 11 | * | 11 | * | 11 | * | 0 | * * |
| 24 - 59 Months | 21 | * | 21 | * | 21 | * | 21 | * * |
| Total | 48 | * | 48 | * | 48 | * | 21 | * * |
| Hispanic | | | | | | | | |
| 0 - 11 Months | 356 | 3.4 | 356 | 13.5 | 356 | 10.4 | 0 | 0.0 0.0 |
| 12 - 23 Months | 171 | 1.8 | 171 | 7.6 | 171 | 23.4 | 0 | 0.0 0.0 |
| 24 - 59 Months | 317 | 3.5 | 317 | 5.7 | 317 | 23.7 | 317 | 14.5 23.7 |
| Total | 844 | 3.1 | 844 | 9.4 | 844 | 18.0 | 317 | 14.5 23.7 |
| American Indian/Alaskan Native | | | | | | | | |
| 0 - 11 Months | 5 | * | 5 | * | 5 | * | 0 | * * |
| 12 - 23 Months | 3 | * | 3 | * | 3 | * | 0 | * * |
| 24 - 59 Months | 3 | * | 3 | * | 3 | * | 3 | * * |
| Total | 11 | * | 11 | * | 11 | * | 3 | * * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 6/10/2004

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | |
|-------------------------------------------------------------------|----------------------|------------|--------------------|------------|-------------------|-------------|---------------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | ≥ 2 Yrs Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th % ≥95th |
| Asian/Pacific Islander | | | | | | | | |
| 0 - 11 Months | 5 | * | 5 | * | 5 | * | 0 | * * |
| 12 - 23 Months | 2 | * | 2 | * | 2 | * | 0 | * * |
| 24 - 59 Months | 8 | * | 8 | * | 8 | * | 8 | * * |
| Total | 15 | * | 15 | * | 15 | * | 8 | * * |
| All Other/Unknown | | | | | | | | |
| 0 - 11 Months | 9 | * | 9 | * | 9 | * | 0 | * * |
| 12 - 23 Months | 9 | * | 9 | * | 9 | * | 0 | * * |
| 24 - 59 Months | 27 | * | 27 | * | 27 | * | 27 | * * |
| Total | 45 | * | 45 | * | 45 | * | 27 | * * |
| Total All Race/Ethnic Groups | | | | | | | | |
| 0 - 11 Months | 443 | 3.4 | 443 | 13.5 | 443 | 11.1 | 0 | 0.0 0.0 |
| 12 - 23 Months | 225 | 4.0 | 225 | 8.4 | 225 | 20.9 | 0 | 0.0 0.0 |
| 24 - 59 Months | 413 | 3.6 | 413 | 5.3 | 413 | 22.8 | 413 | 15.3 22.8 |
| Total | 1,081 | 3.6 | 1,081 | 9.3 | 1,081 | 17.6 | 413 | 15.3 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa

Page: 1
Run Date: 6/10/2004

Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|-------------------------------------------------------------------|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 23 | * | 23 | * | 23 | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * |
| 12 - 14 years | 19 | * | 19 | * | 19 | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * |
| Total | 61 | * | 61 | * | 61 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 7 | * | 7 | * | 7 | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * |
| Total | 49 | * | 49 | * | 49 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 147 | 5.4 | 147 | 2.7 | 147 | 13.6 |
| 9 - 11 Years | 75 | * | 75 | * | 75 | * |
| 12 - 14 years | 66 | * | 66 | * | 66 | * |
| 15 - 19 Years | 41 | * | 41 | * | 41 | * |
| Total | 329 | 8.5 | 329 | 1.5 | 329 | 19.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 2
Run Date: 6/10/2004

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|------------------------------------------------------------|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Asian/Pacific Islander | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 10 | * | 10 | * | 10 | * |
| All Other/Unknown | | | | | | |
| 5 - 8 Years | 19 | * | 19 | * | 19 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 29 | * | 29 | * | 29 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2003 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 3
Run Date: 6/10/2004

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|-------------------------------------------------------------------|----------------------|-------------|--------------------|------------|------------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 214 | 7.9 | 214 | 3.7 | 214 | 13.1 |
| 9 - 11 Years | 96 | * | 96 | * | 96 | * |
| 12 - 14 years | 108 | 14.8 | 108 | 0.0 | 108 | 22.2 |
| 15 - 19 Years | 63 | * | 63 | * | 63 | * |
| Total | 481 | 10.6 | 481 | 1.9 | 481 | 17.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.